IN-POOL BAR™

ASSEMBLY AND INSTALLATION INSTRUCTIONS



CORPORATE HEADQUATERS
WESTERN SALES AND MANUFACTURING PLANT
P.O. Box 400 • 1017 SW Berg Parkway
Canby, Oregon 97013
Phone: (503) 266-2231 • Fax: (503) 266-4334
www.srsmith.com

©S.R. SMITH, LLC 2004

INTRODUCTION

The In-Poolbar™ is designed for use on inground pools in shallow water depth areas. Proper and complete assembly, use and supervision is essential for proper operation and to reduce the risk of accident or injury.

****IMPORTANT****

Check entire boxes and inside all packing materials for parts. Before beginning assembly, read the instructions and identify parts using the figures and parts listed in this document. It is critical that all parts be carefully inspected by the installer prior to installation to ensure that no damage occurred in transit and that a damaged part is not used. Proper installation cannot be overstressed, as an improper installation voids S.R. Smith's warranty and may affect the safety of the user.



FIGURE 1



IN-POOLBAR™ PARTS LIST

IPBAR-103 In-Poolbar Seat w/ Anchor

ITEM #	PART #	DESCRIPTION	QTY.
1	7-200	Post, In-Poolbar Seat	1 ea.
2	8-628	Poolbar Seat	1 ea.
3	5-114	10-24 x 1/2" Pan Head Screw S.S.	1 ea.
4	AS-100EB	Anchor Body	1 ea.
5	AS-100EC	Anchor Cap	1 ea.

IPBAR-104 In-Poolbar Table w/ Anchor

ITEM #	PART #	DESCRIPTION	QTY.
1	7-201	Post, In-Poolbar Table	1 ea.
2	8-628	Poolbar Table	1 ea.
3	5-114	10-24 x 1/2" Pan Head Screw S.S.	1 ea.
4	AS-100EB	Anchor Body	1 ea.
5	AS-100EC	Anchor Cap	1 ea.

IPBAR-105 In-Poolbar Deluxe Table w/ Anchor

ITEM #	PART #	DESCRIPTION	QTY.
1	8-845	Deluxe PoolBar Table, Sandstone	1 ea.
2	7-203	Post, Deluxe In-Poolbar Table	1 ea.
3	05-775	Male Thread Adapter, 1-1/2 PVC	1 ea.
4	AS-100EB	Anchor Body	1 ea.
5	AS-100EC	Anchor Cap	1 ea.

IPBAR-103



IPBAR-104



IPBAR-105



FIGURE 2

ASSEMBLY INSTRUCTIONS

1. Begin by locating the components to ensure all pieces are included for the correct model according to the parts list shown in **FIG. 2** on page 3.

2. For IPBAR-103 and IPBAR-104, remove the # 10 screw from the posts before installing the seat and table. Next, place the seat over the end of the post aligning the hole in the seat with the hole in the post. Fasten with the #10 screw. Follow the same process for the table.

3. The IPBAR-105 does not require any fasteners. To attach the post to the table, press the post into the plastic fitting until it is snug.

4. The In-Poolbar™ is to be anchored into the pool floor using 6" deep AS-100E anchor sockets. Install the anchors in the pool floor 20" apart on center as shown in **FIG.1.**

5. If the In-Poolbar™ is installed on a pool with diving equipment, it must be installed in an area that does not interfere with the diving envelope. Refer to **FIG. 3** for an example.

6. Properly bond the anchor sockets using the attached grounding screw and the appropriate bonding wire per local codes.

7. Place the seat and table assemblies into the anchor sockets installed in the pool floor after the concrete has sufficiently cured. Each anchor socket has a removable cap, which needs to be removed before inserting the assembly. The cap can be removed by inserting a small flat blade screwdriver into the groove between the anchor socket and the cap and prying up. NOTE: When removing the In-Poolbar™ assembly make sure to place the caps in the anchors.



Figure 3- Top view example of accessory equipment and pool features prohibited in the water envelope